

**AlkorPlan**  
The Perfect Skin for your Pool



*Rely on it.*

**RENOLIT AlkorPlan2000/3000**  
*Reinforced Membrane for swimming pool liners*



Make your  
swimming  
pool  
fashionable





# The most used, reinforced swimming pool membrane in the world

The system with least problems and most advantages on the market.

Due to its great aesthetic appeal; easy and economic method of installation; and its 10 years watertight guarantee, AlkorPlan is being installed worldwide- thus making it the most popular and most used pool-lining system..

Guarantee  
**10** years  
Watertightness




Alkorplan2000/3000 are high range swimming pool reinforced membranes, which thanks to the application of a protective lacquer, of a unique and innovative formulation has meant that the RENOLIT membrane has become the highest quality available on the market due to its strength, beauty and the RENOLIT guarantee.

## What is a reinforced membrane?

It consists of 2 polyvinyl chloride (PVC-P) plasticized waterproofed flexible sheets fused to a polyester grid that lies between the two. This provides 100% watertightness in the pool, guaranteed for 10 years.

## Why is it called reinforced?

Through the polyester grid that runs through it which gives greater dimensional stability, high resistance to breakages and tearing without affecting flexibility. Such flexibility makes it the ideal liner for those swimming pools that have very complex or irregular shapes.





# How is it installed?

It can be installed on any clean surface, quickly and with minimum building works, making it an ideal system for renovating existing swimming pools whatever their original material...

The joining of membranes previously overlapped is achieved by heat therefore obtaining a perfect thermo fusion, two membranes become one with no possibility of leakage.



# The RENOLIT Academy


RENOLIT holds training courses over 2 days at their training centres in major European countries such as Spain, France, Germany, Belgium and Italy.

It also offers the possibility of ON SITE training. This provides the appropriate direction and guidance for the installation of AlkorPlan reinforced membranes.



Qualified RENOLIT installers guarantee perfection in the installation and finishing of a swimming pool.






## Warning, not all reinforced membranes are produced the same way!

AlkorPlan is manufactured using the finest virgin raw materials which insure strength and durability. RENOLIT uses the same raw materials and formulation for both AlkorPlan1000/2000/3000.

## What makes AlkorPlan different... the secret is in the lacquer

In addition, AlkorPlan2000/3000 are the only membranes on the market using a special lacquer formulation which prolongs the life of the membrane. Insuring protection against premature ageing, scuffs, scratches, dirt, bacteria and ultraviolet rays.



AlkorPlan

### Benefits of the lacquer

WITH LACQUER



It repels dirt and stains and makes cleaning the membrane easy.


WITHOUT LACQUER



Protects the membrane from UV rays and prevents premature ageing.



Acts as a shield against scuffs and scratches resulting from continuous use.



Prevents the growth of bacteria and fungi therefore making the swimming pool a healthier place

Extreme stress testing carried out in laboratory.

## AlkorPlan Product Range

RENOLIT offers different product lines depending on different tastes and needs, such as colour, design and finish. Never losing the highest level of quality.

### AlkorPlan1000: Unicolor unlacquered



### AlkorPlan2000: Unicolour lacquered



### AlkorPlan3000: Stamped lacquered



\*While stock last

AlkorPlan



## Accessories

AlkorPlan unicolour anti-slip.  
Available in all Alkorplan2000 colours.



White  
81116 001

Sand  
81116 005

Light Blue (Ice Blue)  
81116 004

Adriatic Blue (Blue)  
81116 002

Caribbean Green (Aqua)  
81116 003

Light Grey  
81116 006

Dark Grey  
81122 227

### Alkorplan anti-slip printed.

Only available in the following AlkorPlan3000 models: Blue Persia, Byzantium, Carrara and TOUCH Elegance.



Persia Blue  
81122 217

Bysance Blue  
81122 209

Carrara  
81122 214

TOUCH Elegance  
81122 301

## Joint sealant liquid

For the perfect finish AlkorPlan joint sealant liquid is available in all colours of Alkorplan1000/2000/3000 & TOUCH.



- 81029001 Seam sealer Light Grey
- 81024001 Seam sealer Dark Grey
- 81032001 Seam sealer Light Blue (Ice Blue)
- 81034001 Seam sealer Caribbean Green (Aqua)
- 81035001 Seam sealer White
- 81037001 Seam sealer Transparent
- 81039001 Seam sealer Blue (Adriatic Blue)
- 81054001 Seam sealer Sand
- 81028002 Seam sealer Platinum



- TOUCH**
- 81023001 Seam sealer Elegance
  - 81023002 Seam sealer Relax
  - 81023003 Seam sealer Authentic



White

- AlkorPlan1000: 35066 206(165cm)
- AlkorPlan1000: 35066 012(205cm)
- AlkorPlan2000: 35216 202(165cm)
- AlkorPlan2000: 35216 001(205cm)

Sand

- AlkorPlan1000: 35066 225(165cm)
- AlkorPlan1000: 35066 032(205cm)
- AlkorPlan2000: 35216 210(165cm)
- AlkorPlan2000: 35216 011(205cm)



Rely on it.





*Light Blue (Ice Blue)*

AlkorPlan1000: 35066 213(165cm)  
 AlkorPlan1000: 35066 017(205cm)  
 AlkorPlan2000: 35216 205(165cm)  
 AlkorPlan2000: 35216 008(205cm)



*Light Grey*

AlkorPlan1000: 35066 233(165cm)  
 AlkorPlan1000: 35066 033(205cm)  
 AlkorPlan2000: 35216 236(165cm)  
 AlkorPlan2000: 35216 027(205cm)



*Adriatic Blue (Blue)*

AlkorPlan1000: 35066 201(165cm)  
 AlkorPlan1000: 35066 002(205cm)  
 AlkorPlan2000: 35216 203(165cm)  
 AlkorPlan2000: 35216 007(205cm)



*Dark Grey*

AlkorPlan2000: 35416 227(165cm)  
 AlkorPlan2000: 35416 026(205cm)







*Caribbean Green (Aqua)*  
 AlkorPlan1000: 35066 205(165cm)  
 AlkorPlan2000: 35216 204(165cm)  
 AlkorPlan2000: 35216 006(205cm)



*Persia Blue*  
 AlkorPlan3000: 35417 217(165cm)

## Basic features of AlkorPlan2000/3000

- Wide range of colours and designs to choose from
- 10 year written guarantee for 100% watertightness
- Ideal liner for new swimming pools as well as the renovation of existing ones
- Quick, simple and clean installation
- Can be installed on any base
- High resistance to atmospheric agents and UV rays
- Due to its advanced formulation it combats the growth of bacteria and algae
- Competitive pricing in comparison with other traditional installations



*Persia Sand*  
 AlkorPlan3000: 35417 220(165cm)





*Mosaic*  
AlkorPlan3000: 35417 202(165cm)



*Marble*  
AlkorPlan3000: 35417 213(165cm)



*Carrara*  
AlkorPlan3000: 35417 214(165cm)



*Bysance Blue*  
AlkorPlan3000: 35417 209(165cm)







*Bysance Grey\**  
AlkorPlan3000: 35417 212(165cm)

\* While stocks last



*Provence\**  
AlkorPlan3000: 35417 204(165cm)

\* While stocks last



*RENOLIT is a pioneer in the development and application of a multilayer protective lacquer. This is weather resistant and hardy against all types of damage, which can be encountered by the reinforced membranes of AlkorPlan2000 and AlkorPlan3000. Preserve and protect your swimming pool as you would your own skin.*







new

**TOUCH AUTHENTIC**  
AlkorPlan3000: 35517 402(165cm)



new

**TOUCH ELEGANCE**  
AlkorPlan3000: 35517 301(165cm)



new

**TOUCH RELAX**  
AlkorPlan3000: 35517 401(165cm)



**PLATINUM**

AlkorPlan3000: 35417 402(165cm)  
AlkorPlan3000: 35417 302(205cm)





**RENOLIT Belgium N.V.**  
Industriepark De Bruwaan 9  
9700 Oudenaarde - Belgium  
Phone: +32 55 33 98 14  
Fax: +32 55 31 86 58  
e-mail: [renolit.belgium@renolit.com](mailto:renolit.belgium@renolit.com)

**RENOLIT Nordic K/S**  
Naverland 31  
2600 Glostrup - Denmark  
Phone: +45 43 66 07 92  
Fax: +45 43 64 46 39  
e-mail: [renolit.nordic@renolit.com](mailto:renolit.nordic@renolit.com)

**RENOLIT France SASU**  
Roissy-pôle - Le Dôme  
5 rue de la Haye - BP 10943  
95733 Roissy CDG Cedex - France  
Phone: +33 141 84 30 26  
Fax: +33 149 47 07 39  
e-mail: [renolitfrance-piscine@renolit.com](mailto:renolitfrance-piscine@renolit.com)

**RENOLIT SE, Germany**  
Ziesenißstraße 15  
30455 Hannover - Germany  
Phone: +49 511 49 58 56  
Fax: +49 511 49 88 98  
e-mail: [schwimmbad@renolit.com](mailto:schwimmbad@renolit.com)

**RENOLIT Hungary Kft.**  
Hegyalja út 7-13  
1016 Budapest - Hungary  
Phone: +36 1 457 81 62  
Fax: +36 1 457 81 60  
e-mail: [renolit.hungary@renolit.com](mailto:renolit.hungary@renolit.com)

**OOO RENOLIT-Rus, Russia**  
BP "Rumyantsevo" bld. 2, block V, office 414 V  
142784 Moscow region, Leninskiy district - Russia  
Phone: +7 495 995 1404  
Fax: +7 495 995 1614  
e-mail: [dmitriy.khokhlov@renolit.com](mailto:dmitriy.khokhlov@renolit.com)

**RENOLIT ISTANBUL**  
Ağaoğlu My Office İş Merkezi  
Barbaros Mah. Çiğdem Sok. No:1  
Kat:5 Daire:24 34746 Ataşehir İstanbul  
Office : +90 216 688 42 90/91/92  
Fax : +90 216 688 42 93  
e-mail: [burak.karaagac@renolit.com](mailto:burak.karaagac@renolit.com)

**RENOLIT Italia srl**  
Via Uruguay 85  
35127 Padova - Italy  
Phone: +39 049 099 47 22  
Fax: +39 049 870 05 50  
e-mail: [renolit.italia@renolit.com](mailto:renolit.italia@renolit.com)

**RENOLIT Polska sp. z o.o.**  
ul. Szeligowska 46 - Szeligi  
05-850 Ozarów Mazowiecki - Poland  
Phone: +48 22 722 30 87  
Fax: +48 22 722 47 20  
e-mail: [renolit.polska@renolit.com](mailto:renolit.polska@renolit.com)

**RENOLIT Portugal, unipessoal, Lda.**  
Parque Industrial dos Salgados da Póvoa Apartado 101  
2626-909 Póvoa de Santa Iria - Portugal  
Phone: +351 219 568 306  
Fax: +351 219 568 315  
e-mail: [renolit.portugal@renolit.com](mailto:renolit.portugal@renolit.com)

**RENOLIT Ibérica, S.A.**  
(SPAIN & EXPORT)  
Ctra. del Montnegre, s/n  
08470 Sant Celoni (Barcelona) - Spain  
Phone: SPAIN: +34 938 48 42 14  
Phone: EXPORT: +34 938 48 42 40  
Fax: +34 93 867 55 17  
e-mail: [renolit.iberica@renolit.com](mailto:renolit.iberica@renolit.com)

**UK sales RENOLIT Ibérica s.A.**  
c/o G.G. Tomkinson Ltd.  
The Willows, Pattenden Lane  
Marden, Kent TN12 9QJ - UK  
Phone: +44 78 72 40 71 22  
e-mail: [Jb@jbinlimbo.co.uk](mailto:Jb@jbinlimbo.co.uk)

**RENOLIT India PVT.LTD.**  
9, Vatika Business Centre, Vatika Atrium, III Floor,  
Block-B, Sector 53, Golf Course Road,  
Gurgaon 122002 - India  
Phone : + 91 124 4311267  
Fax : + 91 124 4311100  
e-mail: [alok.marwaha@renolit.com](mailto:alok.marwaha@renolit.com)

This document substitutes and annuls any other that has been previously published on the same subject.

The colours shown in this catalogue can vary from the original.

RENOLIT reserves the right to change colours and designs.

 **AlkorPlan**  
The Perfect Skin for your Pool

[www.alkorpool.com](http://www.alkorpool.com) [www.renolit-alkorplan-touch.com](http://www.renolit-alkorplan-touch.com)



*Rely on it.*